

# Elegance

collection

The most beautiful  
things are invisible  
to the eye

CONCEALED ACCESS DOORS



# GFRG

CEILING [GFRG-PUR]

# CONTOUR

WALL OR CEILING [CTR-MAG]



FEATURES	<p>Rounded corners for an aesthetically pleasing interior and smooth finish.</p> <p>Gypsum-based material blends in perfectly with drywall surface once painted.</p> <p>Gravity-based panel closure ideal for drywall ceiling applications.</p> <p>Available with square corners or hinges for wall surfaces.</p>
----------	---

MATERIALS	Lightweight glass fiber reinforced gypsum.
HINGE	Gravity based closure, removable door.
LOCKING MECHANISM	None.
OPTIONS	Square corners, hinges, cylinder or screwdriver latch, gasketing.
INSTALLATION PROCESS	Frame the opening · Fasten door to frame · Mud and tape flange · Prime, paint flange and door.

FEATURES	<p>Slightly bevelled panel that closes over the flange for modern appearance.</p> <p>Durable steel construction for walls or ceilings of any material.</p> <p>Clean look thanks to hidden magnetic closing mechanism and concealed double-arm hinges.</p> <p>White textured powder coat for a drywall look and feel when painted.</p>
----------	---

MATERIALS	16 gauge cold rolled steel frame and door with high quality white powder coat finish.
HINGE	Concealed double arm pantograph system.
LOCKING MECHANISM	Concealed magnets.
OPTIONS	Cylinder or screwdriver latch, mortise latches, retaining cables, gasketing, galvanized steel.
INSTALLATION PROCESS	Frame the opening · Fasten door to frame · Paint (optional).

COST COMPARISON	Installation Cost	■ ■ ■ ■ ■ □
	Product Cost	■ ■ ■ ■ □ □

COST COMPARISON	Installation Cost	■ ■ □ □ □
	Product Cost	■ □ □ □ □

COST COMPARISON	Installation Cost	■ ■ □ □ □
	Product Cost	■ □ □ □ □

ODD SIZES AVAILABLE	Non-stock doors manufactured in 15 business days.
---------------------	---

ODD SIZES AVAILABLE	Non-stock doors manufactured in 15 business days.
---------------------	---

ODD SIZES AVAILABLE	Odd-size doors manufactured in 5 business days.
---------------------	---

DOOR SIZE W X H	<p><b>Ceiling:</b> 9" X 9" - 12" X 12" - 16" X 16" - 18" X 18" - 24" X 24"</p>
-----------------	--


DOOR SIZE W X H	<p><b>Wall and Ceiling:</b> 8¼" X 8¼" - 8¼" X 12" - 10" X 10" - 12" X 12" - 12" X 18" - 14" X 14" - 16" X 16" - 18" X 18" - 18" X 24" - 20" X 20" - 22" X 22" - 22" X 30" - 22" X 36" - 24" X 24" - 24" X 30" - 24" X 36"</p> <p><b>Ceiling Only:</b> 24" X 48" - 36" X 36"</p>
-----------------	---

DOOR SIZE W X H	<p><b>Wall and Ceiling:</b> 8¼" X 8¼" - 8¼" X 12" - 10" X 10" - 12" X 12" - 12" X 18" - 14" X 14" - 16" X 16" - 18" X 18" - 18" X 24" - 20" X 20" - 22" X 22" - 22" X 30" - 22" X 36" - 24" X 24" - 24" X 30" - 24" X 36"</p> <p><b>Ceiling Only:</b> 24" X 48" - 36" X 36"</p>
-----------------	---

ROUGH OPENING	Door size + 6"
---------------	----------------

ROUGH OPENING	Door size + 6"
---------------	----------------

ROUGH OPENING	Door size + ¼"
---------------	----------------



# ALUMI

WALL OR CEILING (RAL)

# EDG

WALL OR CEILING (EDG-GYP)



Removable door with 1/2" or 5/8" drywall insert to blend in perfectly with walls or ceilings.

Solidly built extruded aluminum frame and door.

Nearly invisible 1/16" gap around door and frame.

Gasket door perimeter adds resistance to air and smoke infiltration.

Available in double doors for very large openings.

Removable concealed hinges and push-to-close latch for an elegant yet economical solution.

Durable steel construction for walls or ceilings of any material.

White textured powder coat for a drywall look and feel when painted.

Available in double doors for very large openings.

Extruded mill finish aluminum frame and door contour with moisture resistant drywall insert.

Concealed free pivot hinge, retaining cables, removable door

Concealed push latches.

Cylinder or screwdriver latch, double doors, gasketing factory pre-finished door.

Fasten frame to opening · Mud door and flange · Prime, paint flange and door.

Installation Cost ■■■■□

Product Cost ■■■■□

Odd-size doors manufactured in 5 business days.

### Wall and Ceiling

8" X 8" - 12" X 12" - 16" X 16" - 18" X 18" - 20" X 20" - 24" X 24" - 36" X 36" - 24" X 48"

Available for 1/2" and 5/8" drywall

Door size + 3/8"

16 gauge cold rolled steel door and frame with corner bead flange with high quality white powder coat finish.

Concealed spring and pin type hinge, removable door, retaining cables for doors > 12" X 12".

Concealed push latches.

Cylinder latch, mortise latch, double doors, retaining cables, galvanized steel, stainless steel #304 #4.

Frame the opening · Fasten door to frame · Mud and tape flange · Prime frame, paint frame and door.

Installation Cost ■■■■□

Product Cost ■■■■□

Odd-size doors manufactured in 5 business days.

### Wall and Ceiling:

6" X 6" - 8" X 8" - 8" X 12" - 10" X 10" - 12" X 12" - 12" X 16" - 12" X 18" - 12" X 24" - 14" X 14" - 16" X 16" - 18" X 18" - 18" X 24" - 20" X 20" - 22" X 22" - 22" X 30" - 22" X 36" - 24" X 24"

Door size + 1/4"

# The Cendrex Advantage

Superior design for concealed appearance

---

Reengineered access doors made to save installation costs

---

Odd size doors manufactured in 5 business days

---

Custom doors manufactured in 10 business days

---

98% fulfillment and on-time delivery

---

LEED ready

---

---

Since 1985, Cendrex has been designing and manufacturing high-quality standard and non-standard access doors, roof hatches, floor hatches and cabinets. Cendrex's products are available locally throughout North America, due to an extensive distribution network of major construction material distributors and strategically located warehouses.

---